

Material	Base Fibre	Coating(s)	Colour(s)	Standard Thicknesses	Standard Width(s)	Max. Continuous Temperature
Aluminium Foil Faced Fibreglass	Fibreglass	Aluminium, One Side	Aluminium & Tan	0.8mm	1220mm	260°C
Aramid Insulation Cloth	Aramid	None	Yellow(ish)	1.5mm	1500mm	340°C
Blue Vertex	Fibreglass	Vertex	Blue	0.8mm, 1.6mm	1000mm & 1500mm	540°C
Irish Refrasil	Silica	Proprietary	Green	0.71mm, 1.47mm	838mm	1,260°C
Premium Quality Woven Fibreglass	Fibreglass	None	White	2.77mm	1000mm	540°C
PTFE Coated Glass Fabric Adhesive Backed	Fibreglass	PTFE, Both Sides	Brown	0.15mm, 0.25mm	1000mm	260°C
PTFE Coated Glass Fabric Non-Adhesive	Fibreglass	PTFE, Both Sides	Brown	0.13mm, 0.15mm, 0.25mm	1000mm	260°C
Refrasil Abrasion Resistant Cloth (AR Series)	Silica	Abrasion Resistant Coating	Orange	0.8mm, 1.5mm	914mm	982°C
Rewettable Fibreglass Cloth	Fibreglass	Rewettable Adhesive, Water-Activated	White	0.6mm	1500mm	540°C
Silica Insulation Cloth Black Oxide	Silica	Oxide	Black	1.5mm	914mm	982°C
Silicone Coated Fibreglass Cloth	Fibreglass	Silicone Rubber	Red	1.6mm, 3mm	1500mm	230°C
Superwool Plus	Insulation Wool	None	White	13mm, 25mm, 50mm	610mm	1,200°C

