

! SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier	
Name of product	CA-Primer for Polyolefines Code-Nr. 124500
1.2. Relevant identified uses of the substance Recommended intended purpose(s) Primer to be used for plastics which are difficult t	
1.3. Details of the supplier of the safety data	sheet
Distributor	WEICON GmbH & Co. KG Königsberger Str. 255, DE-48157 Münster Phone +49(0)251 / 9322 - 0, Fax +49(0)251 / 9322 - 244 E-Mail : msds@weicon.de Internet : www.weicon.de
Advice	Produktsicherheit / Product-Safety-Department Phone +49(0)251 / 9322 - 0 E-mail (competent person): msds@weicon.de
1.4. Emergency telephone number	
	EMERGENCY CONTACT - UK, UAE, South Africa (24h): Tel: ++44 1865 407333 (English) TRANSPORT EMERGENCY CONTACT - UK, UAE, South Africa (24h): Tel: ++44 1865 407333 (English)
Manufacturer	WEICON GmbH & Co. KG Königsberger Str. 255, DE-48157 Münster
1.4. Emergency telephone number	
	GIFTNOTRUF/TRANSPORTNOTRUF - Deutschland (24h): Tel: ++49 69 222 25285 (Deutsch, Englisch)

! SECTION 2: Hazards identification

2.1. Classification of the substance or mixture ! Classification according to Regulation (EC) No 1272/2008 [CLP/GHS]

Hazard classes and categories	Hazard Hazard Statements Classification procedure
Flam. Liq. 2	H225
Skin Irrit. 2	H315
STOT SE 3	H336
Asp. Tox. 1	H304
Aquatic Chronic 2	H411
Hazard Statements	
H225	Highly flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H336	May cause drowsiness or dizziness.



H411

Toxic to aquatic life with long lasting effects.

2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008 [CLP/GHS]



! Signal word

Danger

Hazard Statements

H225	Highly flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H336	May cause drowsiness or dizziness.
H411	Toxic to aquatic life with long lasting effects.

Precautionary Statements

P102	Keep out of reach of children.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P233	Keep container tightly closed.
P243	Take precautionary measures against static discharge.
P261	Avoid breathing vapours/spray.
P264	Wash hands thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P273	Avoid release to the environment.
P280	Wear protective gloves/eye protection.
P301 + P310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P303 + P361 +	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with
P353	water/shower.
P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P312	Call a POISON CENTER or doctor/physician if you feel unwell.
P331	Do NOT induce vomiting.
P332 + P313	If skin irritation occurs: Get medical advice/attention.
P362	Take off contaminated clothing.
P370 + P378	In case of fire: Use foam for extinction.
P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P403 + P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container to hazardous or special waste collection point.

! Hazardous ingredients for labeling

Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics

2.3. Other hazards

Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.



! SECTION 3: Composition/ information on ingredients

3.1. Substances

not applicable

3.2. Mixtures

! Description

Mixture of solvents

! Hazardous ingredients

CAS No	EC No	Name	[% weight]	Classification according to Regulation (EC) No 1272/2008 [CLP/GHS]
64742-49-0	927-510-4	Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	> 50	Flam. Liq. 2, H225 / Asp. Tox. 1, H304 / Aquatic Chronic 2, H411 / Skin Irrit. 2, H315 / STOT SE 3, H336
6674-22-2	229-713-7	1,8-Diazabicyclo[5.4.0]undec-7-ene	1 < 3	Met. Corr. 1, H290 / Acute Tox. 3, H301 / Skin Corr. 1 B, H314 / Aquatic Chronic 3, H412
REACH				
CAS No	Name			REACH registration number
64742-49-0	Hydrocarbon	s, C7, n-alkanes, isoalkanes, cyclics		01-2119475515-33

! SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove contaminated soaked clothing immediately.

In case of inhalation

Ensure of fresh air. In the event of symptoms refer for medical treatment.

In case of skin contact

In case of contact with skin wash off with soap and water. Consult a doctor if skin irritation persists.

In case of eye contact

In case of contact with eyes rinse thoroughly with water. Refer to medical treatment.

! In case of ingestion

If swallowed or in case of vomiting, danger of infiltration into the lungs (danger of aspiration). Do not induce vomiting. Call for a doctor immediately.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

! Treatment (Advice to doctor)

If swallowed or in the event of vomiting, risk of entering the lungs.



! SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media Alcohol-resistant foam Dry powder Carbon dioxide Water spray jet

Unsuitable extinguishing media Full water jet

5.2. Special hazards arising from the substance or mixture

In case of fire formation of dangerous gases possible. Nitrogen oxides (NOx) Carbon monoxide (CO) Carbon dioxide (CO2)

5.3. Advice for firefighters

! Special protective equipment for fire-fighters

Fire-fighting operations, rescue and clearing work under effect of combustion and smoulder gases just may be done with breathing apparatus.

Do not inhale explosion and/or combustion gases.

! Additional information

Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations. Collect contaminated firefighting water separately, must not be discharged into the drains.

! SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel
Ensure adequate ventilation.
Remove persons to safety.
Use personal protective clothing.
Keep away sources of ignition.
Use breathing apparatus if exposed to vapours/dust/aerosol.

6.2. Environmental precautions

Inform pollution control authorities if product gets into the sewerage systems or open waters. Do not discharge into the drains or bodies of water.. Do not discharge into the drains/surface waters/groundwater.

6.3. Methods and material for containment and cleaning up

Take up with absorbent material (e.g. sand, kieselguhr, acid binder, general-purpose binder, sawdust). After taking up the material dispose according to regulation.

6.4. Reference to other sections

Safe handling: see section 7 Disposal: see section 13 Personal protection equipment: see section 8



! SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Keep container tightly closed. Avoid formation of aerosols.

Care for thoroughly room ventilation, if necessary use in well ventilated area with local exhaust ventilation at workplace.

! General protective measures

Do not inhale vapours. Avoid contact with eyes and skin Ensure sufficient ventilation.

! Hygiene measures

Do not smoke when working. Remove soiled or soaked clothing immediately. Work in rooms with good ventilation. Wash hands before breaks and after work.

! Advice on protection against fire and explosion Keep away from sources of ignition - No smoking

Protect from heat and sunlight. Vapours can form an explosive mixture with air. Take precautionary measures against static discharges.

7.2. Conditions for safe storage, including any incompatibilities

! Requirements for storage rooms and vessels Keep only in original container.

! Advice on storage compatibility

Do not store with acids. Do not store together with animal feedstuffs. Do not store together with food. Do not store together with oxidizing agents.

! Further information on storage conditions

Store at +5 till +25 °C. Keep container tightly closed and store at cool and aired place. Protect from heat and direct solar radiation.

7.3. Specific end use(s) Recommendation(s) for intended use See section 1.2

! SECTION 8: Exposure controls/personal protection

8.1. Control parameters DNEL-/PNEC-values DNEL worker

CAS No	Substance name	Value	Code	Remark
64742-49-0	Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	300 mg/kg bw/day		
		2085 mg/m3	DNEL acute inhalative (systemic)	
DNEL Consu	imer			
CAS No	Substance name	Value	Code	Remark
64742-49-0	Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	149 mg/kg bw/day	DNEL long-term dermal (systemic)	



DNEL-/PNEC-values (continued)

CAS No	Substance name	Value	Code	Remark
		149 mg/kg bw/day	DNEL long-term oral (repeated)	
		447 mg/m3	DNEL long-term inhalative (systemic)	

Additional advice

The statutory local and national regulations have to be observed.

8.2. Exposure controls

! Respiratory protection

If ventilation insufficient, wear respiratory protection. In case of insufficient ventilation or long-term effect use breathing apparatus. Breathing apparatus in the event of aerosol or mist formation.

Multi-purpose filter ABEK

Hand protection

In the cases of special applications, it is recommended to check the chemical resistance with the manufacturer of the gloves.

Glove material specification [make/type, thickness, permeation time/life, wetting resistance]:: Nitrile rubber; 0,4mm; 480min;60min.

Chemical protective gloves must be chosen carefully in view of their design and depending on the dependence on the concentration and amounts of dangerous goods used in the specific working tasks.

Eye protection

tightly fitting goggles

Other protection measures

protective clothing

Appropriate engineering controls

Sufficient ventilation and exhaustion.

! SECTION 9: Physical and chemical properties

9.1. Information on basi Appearance liquid		nical properties Colour colourless		Odour solvent-li	ke
Odour threshold not determined					
Important health, safety	and environmental	information			
	Value	Temperature	at	Method	Remark
pH value	not determined				
boiling point	> 80 °C				
melting point	not determined				
Flash point	> 10 °C				
Vapourisation rate	not determined				



Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) Printed 12.04.2017 revision 07.10.2016 (GB) Version 8.7

CA-Primer for Polyolefines

	Value	Temperature	at	Method	Remark
Flammable (solid)	not applicable				
Flammability (gas)	not applicable				
Ignition temperature	not determined				
Self ignition temperature	not determined				
Lower explosion limit	not determined				
Upper explosion limit	not determined				
Vapour pressure	100 hPa	20 °C			CAS: 64742-49-0
Relative density	ca. 0,7 g/cm3	15 °C			
Vapour density	not determined				
Solubility in water					No or low immiscibility
Solubility/other	not determined				
Partition coefficient n- octanol/water (log P O/W)	not determined				
Decomposition temperature	not determined				
Viscosity dynamic	not determined				
Viscosity kinematic	> 20,5 mm2/s	40 °C			

Oxidising properties

No information available.

Explosive properties

The product is considered non-explosive ; nevertheless explosive vapour/air mixtures can be generated .

9.2. Other information

No information available.

! SECTION 10: Stability and reactivity

10.1. Reactivity

No information available.

10.2. Chemical stability

No information available.

10.3. Possibility of hazardous reactions

Reactions with acids and strong oxidising agents.

10.4. Conditions to avoid

Keep away from heat. Formation of explosive gas/air mixtures.



10.5. Incompatible materials

! Substances to avoid Acid chlorides, inorganic Acid, concentrated Oxidising agent, strong

10.6. Hazardous decomposition products

Carbon monoxide and carbon dioxide.

Thermal decomposition

Remark No decomposition if used as directed.

! SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity/Irritation/Sensitization

	Value/Validation	Species	Method	Remark
LD50 acute oral	> 5000 mg/kg			ATE
Skin irritation	irritant			
Eye irritation	low irritant - no labeling duty			
Skin sensitization	non-sensitizing			

Subacute Toxicity - Carcinogenicity

	Value	Species	Method	Validation
Chronic Toxicity	1			-
Mutagenicity				No experimental information on genotoxicity in vitro available.
Reproduction- Toxicity				No indications of toxic effects were observed in reproduction studies in animals.
Carcinogenicity				No indications of carcinogenic effects are available from long-term trials.
Specific target o May cause drowsing	organ toxicity (single ex ess or dizziness.	(posure)		
[!] Aspiration hazar May be fatal if swall	rd lowed and enters airways.			

! Experiences made from practice

Inhalation causes headache/nausea. May cause drowsiness or dizziness.

Frequent persistent contact with the skin may cause skin irritation.

Inhalation causes narcotic effect/intoxication.



! Additional information

The product is to be handled with the caution usual with chemicals. Other hazardous properties may not be excluded. The product has not been tested. The information is derived from the properties of the individual components.

! SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicological effects

	Value	Species	Method	Validation	
Fish	LC50 100 - 220 mg/l (96 h)	Leuciscus idus		CAS: 6674-22-2	
Daphnia	EC50 50 mg/l (48 h)	Daphnia magna		CAS: 6674-22-2	
Algae	EC50 > 100 mg/l (72 h)	Desmodesmus subspicatus.		CAS: 6674-22-2	
12.2. Persistence and degradability Elimination rate Method of analysis Method Validation					
Degradability	у			readily degradable	

CAS: 64742-49-0

12.3. Bioaccumulative potential

The product has not been tested. Because of the product's consistency and low solubility in water bioavailability is not likely.

12.4. Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Other adverse effects

¹ General regulation

Toxic to aquatic life with long lasting effects. Toxic to fishes. Product is not allowed to be discharged into aquatic environment. The ecotoxic effect of the product has not been tested. The information on this is given on the basis of details in the literature.

! SECTION 13: Disposal considerations

13.1. Waste treatment methods

Dispose of as hazardous waste.

! Recommendations for the product Remove in accordance with local official regulations.

Recommendations for packaging

Dispose of according to the local waste regulations.

! General information

Assignment to a waste code number / waste identification according to the EWC is to be carried out on a sector or process-specific basis.



! SECTION 14: Transport information

	ADR/RID	IMDG	IATA-DGR
14.1. UN number	1206	1206	1206
14.2. UN proper shipping name	HEPTANES	HEPTANES	Heptanes
14.3. Transport hazard class(es)	3	3	3
14.4. Packing group	II	II	II
14.5. Environmental hazards	Yes	Yes	Yes

14.6. Special precautions for user

No information available.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code not applicable

Land and inland navigation transport ADR/RID Hazard label(s) 3 tunnel restriction code D/E Classification code F1

Marine transport IMDG MARINE POLLUTANT

! SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

VOC standard	
VOC content	97 %
VOC value	679 g/L

15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Recommended uses and restrictions

National and local regulations concerning chemicals shall be observed. For industrial use only.

Further information

Each user is responsible for the implementation of the national special regulations.

The information contained herein is based on the state of our knowledge. It characterizes the product with regard to the appropriate safety precautions. It does not represent a guarantee of the properties of the product.

Please observe the following disclaimer! --- Our safety data sheets have been compiled according to effective EUdirectives, WITHOUT taking into account the special national directives concerning the handling of hazardous substances.

Indication of changes: "!" = Data changed compared with the previous version. Previous version: 8.6

- H225 Highly flammable liquid and vapour.
- H290 May be corrosive to metals.
- H301 Toxic if swallowed.
- H304 May be fatal if swallowed and enters airways.



- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H336 May cause drowsiness or dizziness.
- H411 Toxic to aquatic life with long lasting effects.
- H412 Harmful to aquatic life with long lasting effects.