

Overview


Weicon Aqua Repair Stick is a simple option for making fast yet lasting repairs in wet, damp or submerged areas.

This special type of epoxy putty will bond to wet surfaces which makes it ideal for repairing things that can't be dried off (such as a leaking tank).

This ability to bond to wet or damp surfaces is further augmented by the fact that Aqua Repair Sticks bond well to a wide variety of materials including metals, hard plastics, glass, ceramics, stone (e.g. marble, sandstone) and more.

Typical applications include:

- Repairs, hole patching and reconditioning of fuel and water tanks
- Repairs to radiators
- Sealing around electrical switchboards
- Repairs to sanitary installations
- Swimming pool repairs
- Sealing, fixing and patching heating, ventilation and air conditioning equipment
- Light fitting repairs and sealing
- Repair, crack filling, hole filling and recondition of components in the marine sector.



Aqua Repair Stick Sizes.

To quickly find any on our website, just search for the SWM part number listed. Alternatively, browse the full range at [swiftsupplies.com.au/aqua-repair-sticks-range](https://www.swiftsupplies.com.au/aqua-repair-sticks-range)



Key Specifications

Colour	White
Continuous Temperature Rating	-50°C to +120°C
Basis	Epoxy w/ Ceramic
Pot Life	15 Minutes
35% Cure / Handling	30 Minutes
100% Cure / Full	24 Hours
Shore Hardness	65 Shore D

Material Compatibility

Metal (e.g. stainless steel, brass, cast iron, aluminium)	Highly Compatible
Hard Plastics* (e.g. epoxy laminates, rigid PVC)	Highly Compatible
Wood (e.g. oak, beech, spruce, balsa)	Compatible
Derived Timber Products (e.g. plywood, MDF)	Compatible
Fibre Reinforced Materials (e.g. GFRP, CFRP, Fibreglass)	Compatible
Glass, Ceramic	Highly Compatible
Stone (e.g. granite, brick, concrete, marble)	Highly Compatible
Rubbers	Not Compatible

*Bonding to plastics will depend on the type. Low surface energy plastics may not be suitable (e.g. PE, PP, PTFE).

Part Number	Size
SWM000026B01V0001	57gm
SWM000026B01V0002	115gm