

### Overview

Brass Spray is a metal coating spray used to coat all kinds of metal surfaces. Manufactured by Weicon from a combination of acrylic resin (binding agent) and high purity (approximately 99.9%) brass pigments. The result is an easy to use spray that has the same look as brass which makes it perfect for decorative, design, DIY, hobby and many other kinds of work.

It is also used for creating a rich, long-lasting finish on all kinds of metal including copper, mild steel, galvanised iron and aluminium.

Weicon Brass Spray can be applied directly to most metal surfaces or, for greater adhesion and a solid rust protection undercoat, combined with Weicon Zinc Spray (which serves as the primer). Once fully hardened, Brass Spray can be painted if need be.

This high-quality metal colouring, coating and protection spray can be used for parts that will be stored either indoors or outdoors and is very long lasting. It resists cracking when surfaces flex with thermal changes and will handle temperatures between -50°C and +300°C once it is fully hardened.

### Brass Spray Size and Info.

To quickly find this spray on our website, just search for the SWM part number listed. Alternatively, browse find it directly at [swiftsupplies.com.au/weicon-brass-spray-400ml](https://www.swiftsupplies.com.au/weicon-brass-spray-400ml)

Part Number	Container Size
<b>SWM000153B01V0001</b>	400ml

### Our Anti-Corrosion & Surface Coating Sprays & Liquids Range.

This is just one spray in our large (and growing) of rust protection, anti-corrosion and surface protection sprays & liquids. We stock a range of solutions for everything from loosening seized fittings and neutralizing rust through to products for preventing corrosion and removable protective coatings cleaners. You can browse our range at [swiftsupplies.com.au/anti-corrosion-surface-coating/](https://www.swiftsupplies.com.au/anti-corrosion-surface-coating/)



### Key Specifications

Colour	Brass (Metallic Matt)
Max. Temperature	300°C
App. Area	Indoors & Outdoors
Pigment	Brass Pigments
Consumption	120ml/m <sup>2</sup> (avg.) @ 1.5 Cross Coats

