

SAFETY DATA SHEET

Product identifier: RTV 106 - red

1. Identification

Other means of identificati Synonyms:	ion ACETOXY SEALANT (red)
Recommended use and rea	striction on use
Recommended use: Silic Restrictions on use: For	
Manufacturer	: Momentive Performance Materials - Daytona 703 South Street New Smyrna Beach FL 32168
Distributor Information	: DC Products Pty Limited Unit 117 45 Gilby Road Mount Waverley 3149 Australia
Contact person	: Viren Kumar
Telephone	: +61 3 95588898
Emergency telephone number Supplier	: 61 418 529 118

2. Hazard(s) identification

Hazard Classification

Health Hazards

Toxic to reproduction

Category 2

Unknown toxicity - Health

Acute toxicity, oral	0.43 %
Acute toxicity, dermal	0.43 %
Acute toxicity, inhalation, vapor	0.43 %
Acute toxicity, inhalation, dust or mist	0.43 %

Label Elements

Hazard Symbol:





Signal Word:	Warning
Hazard Statement:	H361; Suspected of damaging fertility or the unborn child.
Precautionary Statements	
Prevention:	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required.
Response:	If exposed or concerned: Get medical advice/attention.
Storage:	Store locked up.
Disposal:	Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.
Other hazards which do not result in GHS classification:	None.
Substance(s) formed under the conditions of use:	Generates acetic acid during cure.

3. Composition/information on ingredients

Mixtures

Chemical Identity	CAS number	Content in percent (%)*	Notes
Octamethylcyclotetrasiloxane	556-67-2	1 - <3%	No data available.
* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.			

4. First-aid measures

General information:	No action shall be taken involving any personal risk or without suitable training.
Ingestion:	If swallowed, do NOT induce vomiting. Give a glass of water. Do not give victim anything to drink if he is unconscious. Get medical attention.

MOMENTIVE inventing possibilities

RTV 106 - red

Inhalation:	If inhaled, remove to fresh air. If not breathing give artificial respiration using a barrier device. If breathing is difficult give oxygen. Get medical attention.	
Skin Contact:	Wash with soap and water.	
Eye contact:	In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.	
Most important symptoms/effect	s, acute and delayed	
Symptoms:	None known.	
Hazards:	No data available.	
Indication of immediate medical	attention and special treatment needed	
Treatment:	Treatment is symptomatic and supportive.	
5. Fire-fighting measures		
General Fire Hazards:	Use standard firefighting procedures and consider the hazards of other involved materials. Prevent runoff from fire control or dilution from entering streams, sewers, or drinking water supply.	
Suitable (and unsuitable) exting	uishing media	
Suitable extinguishing media:	All standard extinguishing agents are suitable.	
Unsuitable extinguishing media:	Do not use water jet.	
Specific hazards arising from the chemical:	In case of fire, carbon monoxide and carbon dioxide may be formed. Acute overexposure to the products of combustion may result in irritation of the respiratory tract. Pay attention to the corrosive effects arising from contact with water.	
Special protective equipment and precautions for firefightersSpecial fire fightingUse water spray to keep fire-exposed containers cool.procedures:		
Special protective equipment for fire-fighters:	Firefighters must wear NIOSH/MSHA approved positive pressure self- contained breathing apparatus with full face mask and full protective clothing.	

6. Accidental release measures



Personal precautions, protective equipment and emergency procedures:	Avoid contact with eyes, skin, and clothing.Use only in well-ventilated areas. Avoid accidental ingestion of this material. Wash hands and face before eating, drinking, smoking, using toilet facilities, or applying cosmetics.	
	Remove contact lenses before using sealant. Do not handle lenses until all sealant has been cleaned from the finger and hands.Keep out of reach of children.Keep container closed.May generate formaldehyde at temperatures greater than 150 C(300 F).See Section 8 of the SDS for Personal Protective Equipment.	
Methods and material for containment and cleaning up:	Wipe, scrape or soak up in an inert material and put in a container for disposal. Wash walking surfaces with detergent and water to reduce slipping hazard. Wear proper protective equipment as specified in the protective equipment section.	
Notification Procedures:	ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). See Section 8 of the SDS for Personal Protective Equipment.	
7. Handling and storage		
Precautions for safe handling:	Sensitivity to static discharge is not expected. Acetic acid is formed during processing. Wear appropriate personal protective equipment. Use only in well-ventilated areas. Keep away from food, drink and animal feeding stuffs. When using do not eat, drink or smoke. Keep containers tightly closed. See Section 8 of the SDS for Personal Protective Equipment.	
Conditions for safe storage, including any incompatibilities:	Keep container tightly closed in a cool, well-ventilated place.	

8. Exposure controls/personal protection

Control Parameters

Chemical Identity	Туре	Exposure Limit Values	Source
Octamethylcyclotetrasiloxane	TWA	5 ppm	
ppropriate Engineering Controls		e adequate general and loc ers for emergency use.	al exhaust ventilation. Eye washes and
ndividual protection measu	res, such as	personal protective equip	oment
General information:	Ventilation and other forms of engineering controls are preferred for controlling exposures. Respiratory protection may be needed for non-		

routine or emergency situations.

Eye/face protection: Safety glasses with side shields



Skin Protection Hand Protection:	Butyl rubber gloves are recommended.
Other:	Wear suitable protective clothing and eye/face protection.
Respiratory Protection:	If exposure limits are exceeded or respiratory irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Supplied air respirators may be required for non-routine or emergency situations. Respiratory protection must be provided in accordance with OSHA regulations (see 29CFR 1910.134).
Hygiene measures:	Avoid contact with eyes, skin, and clothing. Ensure adequate ventilation, especially in confined areas. Observe good industrial hygiene practices. Wash hands before breaks and immediately after handling the product. When using do not eat, drink or smoke.

9. Physical and chemical properties

Appearance

Physical state:	solid
Form:	Paste
Color:	Red
Odor:	Acetic acid.
Odor threshold:	No data available.
pH:	not applicable
Melting point/freezing point:	No data available.
Initial boiling point and boiling range:	not applicable
Flash Point:	> 93.3 °C (estimated)
Evaporation rate:	< 1
Flammability (solid, gas):	No data available.
Upper/lower limit on flammability or explosi	ve limits
Flammability limit - upper (%):	No data available.
Flammability limit - lower (%):	No data available.
Explosive limit - upper (%):	No data available.
Explosive limit - lower (%):	No data available.
Heat of combustion:	No data available.
Vapor pressure:	not applicable
Vapor density:	not applicable
Density:	1.06 g/cm3 (23 °C)
Relative density:	ca. 1.06
Solubility(ies)	
Solubility in water:	Insoluble
SDS_US	



Solubility (other):	Toluene
Partition coefficient (n-octanol/water) Log Pow:	No data available.
Auto-ignition temperature:	not applicable
Decomposition temperature:	No data available.
SADT:	No data available.
Viscosity, dynamic:	No data available.
Viscosity, kinematic:	No data available.
VOC:	26 g/l ;

10. Stability and reactivity

Reactivity:	No dangerous reaction if used as recommended.
Chemical Stability: Possibility of hazardous reactions:	Material is stable under normal conditions. Hazardous polymerisation does not occur.
Conditions to avoid:	Keep away from moisture. Reacts with water liberating small amounts of acetic acid.
Incompatible Materials: Hazardous Decomposition Products:	None known. Carbon dioxide Silicon dioxide. Formaldehyde. Measurements at temperatures above 150°C in presence of air (oxygen) have shown that small amounts of formaldehyde are formed due to oxidative degradation.

11. Toxicological information

Information on likely routes of Ingestion:	exposure No data available.
Inhalation:	No data available.
Skin Contact:	No data available.
Eye contact:	No data available.
Symptoms related to the physi Ingestion:	cal, chemical and toxicological characteristics No data available.
Ingestion:	No data available.



Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral Product: Specified substance(s): Octamethylcyclotetrasilox ane	Not classified for acute toxicity based on available data. LD 50 (Rat): 4,800 mg/kg
Dermal Product: Specified substance(s): Octamethylcyclotetrasilox ane	LD 50 (Rat): > 2,400 mg/kg
Inhalation Product: Specified substance(s): Octamethylcyclotetrasilox ane	Not classified for acute toxicity based on available data. LC50 (Rat): 36 mg/l
Repeated dose toxicity Product:	No data available.
Skin Corrosion/Irritation Product:	No data available.
Serious Eye Damage/Eye Irritatio Product:	on No data available.
Respiratory or Skin Sensitization Product:	n No data available.
Carcinogenicity Product:	No data available.
IARC Monographs on the E No carcinogenic components	Evaluation of Carcinogenic Risks to Humans: s identified
US. National Toxicology Pr No carcinogenic components	ogram (NTP) Report on Carcinogens: s identified



US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050): No carcinogenic components identified

Germ Cell Mutagenicity

In vitro Product: Specified substance(s):	No data available.
Octamethylcyclotetrasilox ane	Ames-Test (OECD-Guideline 471 (Genetic Toxicology: Salmonella typhimurium, Reverse Mutation Assay)): negative (not mutagenic) Mouse Lymphoma Assay (OECD Guidline 476): negative (not mutagenic)
In vivo Product: Specified substance(s):	No data available.
Octamethylcyclotetrasilox ane	Chromosomal aberration (OECD-Guideline 474 (Genetic Toxicology: Micronucleus Test)) Inhalation (Rat, male and female): negative
Reproductive toxicity Product:	No data available.
Specific Target Organ Toxicity - Product:	Single Exposure No data available.
Specific Target Organ Toxicity - Product:	Repeated Exposure No data available.
Aspiration Hazard Product:	No data available.



Other effects: Acetic acid released during curing. Octamethylcyclotetrasiloxane (D4) Ingestion: Rodents given large doses via oral gavage of Octamethylcyclotetrasiloxane (1600mg/kg/day,14 days), developed increased liver weights relative to unexposed control animals due to hepatocellular hyperplasia (increased number of liver cells which appear normal) as well as hypertrophy (increased cell size). Inhalation: In inhalation studies, laboratory rodents exposed to Octamethylcyclotetrasiloxane (300 ppm five days/week, 90 days) developed increased liver weights in female animals relative to unexposed control animals. When the exposure was stopped, liver weights returned to normal. Microscopic examination of the liver cells did not show any evidence of pathology. This response in rats, which does not affect the animal's health, is well-documented and widely recognized. It is related to an increase of liver enzymes that metabolize and eliminate a material from the body. The increased liver weight reverses even while the D4 exposure continues. The finding is not adverse, but is considered a natural adaptive change in rats, and does not represent a hazard to humans. Inhalation studies utilizing laboratory rabbits and guinea pigs showed no effects on liver weights. Inhalation exposures typical of industrial usage (5-10 ppm) showed no toxic effects in rodents. Range finding reproductive studies were conducted (whole body inhalation, 70 days prior to mating, through mating, gestation and lactation), with D4. Rats were exposed to 70 and 700 ppm. In the 700 ppm group, there was a statistically significant reduction in mean litter size and in implantation sites. No D4 related clinical signs were observed in the pups and no exposure related pathological findings were found. A two-year, combined chronic/carcinogenicity study, during which rats were exposed to D4 by inhalation, data showed a statistically significant increase in a benign uterine tumor in female rats exposed at the highest level--a level much higher than the low levels that consumers or workers may encounter. An expert panel of independent scientists who have reviewed the results of this research concur that the finding seen in the two-year study occurred through a biological pathway that is specific to the rat and is not relevant to humans. Therefore, this observed effect does not indicate a potential health hazard to humans. In developmental toxicity studies, rats and rabbits were exposed to D4 at concentrations up to 700 ppm and 500 ppm, respectively. No teratogenic effects (birth defects) were observed in either study.

12. Ecological information

Ecotoxicity:

Acute hazards to the aquatic environment:

Fish Product:

No data available.

Aquatic Invertebrates Product:

No data available.

Chronic hazards to the aquatic environment:

Fish

SDS_US

MOMENTIVE inventing possibilities

RTV 106 - red

Product:	No data available.
Aquatic Invertebrates Product:	No data available.
Toxicity to Aquatic Plants Product:	No data available.
Persistence and Degradability	
Biodegradation Product: Specified substance(s): Octamethylcyclotetrasilox ane	No data available. 3.7 % (29 d, 310 Ready Biodegradability - CO_2 in Sealed Vessels (Headspace Test)) Not readily biodegradable.
BOD/COD Ratio Product:	No data available.
Bioaccumulative potential Bioconcentration Factor (BC Product: Specified substance(s): Octamethylcyclotetrasilox ane Partition Coefficient n-octan	No data available. Fathead Minnow, Bioconcentration Factor (BCF): 12.40 ol / water (log Kow)
Product:	No data available.
Mobility in soil:	No data available.
Known or predicted distribut Octamethylcyclotetrasiloxa ne	tion to environmental compartments No data available.
Other adverse effects:	No data available.
13. Disposal considerations	
General information:	The generation of waste should be avoided or minimized wherever possible. See Section 8 for information on appropriate personal protective equipment. Do not discharge into drains, water courses or onto the ground.
Disposal instructions:	Disposal should be made in accordance with federal, state and local regulations.



Contaminated Packaging: Dispose of as unused product.

14. Transport information

DOT

Not regulated.

IMDG

Not regulated.

ΙΑΤΑ

Not regulated.

Special precautions for user:	This product is not regarded as dangerous goods according to the
	national and international regulations on the transport of
	dangerous goods.

15. Regulatory information

US Federal Regulations

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Chemical IdentityReportable quantityOctamethylcyclotetrasilox
aneDe minimis concentration: TSCA Section: 4: 1.0%
One-Time Export Notification only.

CERCLA Hazardous Substance List (40 CFR 302.4):

None present or none present in regulated quantities.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Delayed (Chronic) Health Hazard

SARA 302 Extremely Hazardous Substance

None present or none present in regulated quantities.

SARA 304 Emergency Release Notification

None present or none present in regulated quantities.



SARA 311/312 Hazardous Chemical

<u>Chemical Identity</u> <u>Threshold Planning Quantity</u>

Octamethylcyclotetrasiloxa 10000 lbs

ne

SARA 313 (TRI Reporting)

None present or none present in regulated quantities.

Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

None present or none present in regulated quantities.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):

None present or none present in regulated quantities.

US State Regulations

US. California Proposition 65

No ingredient regulated by CA Prop 65 present.

US. New Jersey Worker and Community Right-to-Know Act

Chemical Identity

Siloxanes and Silicones, di-Me hydroxy terminated Dimethylpolysiloxane

Silica

Siloxanes and Silicones, di-Me, polymers with Me silsesquioxanes, hydroxy-terminated

Iron oxide

Octamethylcyclotetrasiloxane

US. Massachusetts RTK - Substance List

No ingredient regulated by MA Right-to-Know Law present.

US. Pennsylvania RTK - Hazardous Substances

No ingredient regulated by PA Right-to-Know Law present.

US. Rhode Island RTK

No ingredient regulated by RI Right-to-Know Law present.



Inventory Status:

Australia AICS:	y (positive listing)	Remarks: None.	
Canada DSL Inventory List:	y (positive listing)	Remarks: None.	
EU EINECS List:	y (positive listing)	Remarks: None.	
Japan (ENCS) List:	y (positive listing)	Remarks: None.	
China Inventory of Existing Chemical Substances:	y (positive listing)	Remarks: None.	
Korea Existing Chemicals Inv. (KECI):	y (positive listing)	Remarks: None.	
Canada NDSL Inventory:	n (Negative listing)	Remarks: None.	
Philippines PICCS:	y (positive listing)	Remarks: None.	
US TSCA Inventory:	y (positive listing)	Remarks: None.	
New Zealand Inventory of Chemicals:	y (positive listing)	Remarks: None.	
Taiwan. Taiwan inventory (CSNN):	y (positive listing)	Remarks: None.	

16.Other information, including date of preparation or last revision

HMIS Hazard ID

Health	*	0
Flammability		1
Physical Hazards		1
PERSONAL PROTECTI	ON	

Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; RNP - Rating not possible; *Chronic health effect

Issue Date:	10/24/2017
Revision Date:	No data available.
Version #:	3.0
Further Information:	No data available.



Disclaimer:

Notice to reader

Unless otherwise specified in section 1, Momentive products are intended for use in the manufacture and/or formulation of products and are not intended for direct consumer use. These products are not intended for long-lasting (> 30 days) implantation, injection or direct ingestion into the human body, nor for use in the manufacture of multiple use contraceptives. Keep out of the reach of children.

Further Information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

®,*, and TM indicate trademarks owned by or licensed to Momentive.