

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier	
Name of product	Easy-Mix S 50 Hardener Code-Nr. 106502
1.2. Relevant identified uses of the substance or mixtue Recommended intended purpose(s) 2-Component Epoxy Resin - Hardener Component	re and uses advised against
1.3. Details of the supplier of the safety data sheet	
Distributor	WEICON GmbH & Co. KG Königsberger Str. 255, DE-48157 Münster Phone +49(0)251 / 9322 - 0, Fax +49(0)251 / 9322 - 244 E-Mail : msds@weicon.de Internet : www.weicon.de
Advice	Produktsicherheit / Product-Safety-Department Phone +49(0)251 / 9322 - 0 Fax +49(0)251 / 9322 - 244 E-mail (competent person): msds@weicon.de
1.4. Emergency telephone number	
	EMERGENCY CONTACT - UK, UAE, South Africa (24h): Tel: ++44 1865 407333 (English) TRANSPORT EMERGENCY CONTACT - UK, UAE, South Africa (24h): Tel: ++44 1865 407333 (English)
Manufacturer	WEICON GmbH & Co. KG Königsberger Str. 255, DE-48157 Münster
1.4. Emergency telephone number	
	GIFTNOTRUF/TRANSPORTNOTRUF - Deutschland (24h): Tel: ++49 69 222 25285 (Deutsch, Englisch)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 [CLP/GHS]				
Hazard classes and Ha categories	zard Hazard Statements Classification procedure			
Skin Corr. 1B	H314			
Hazard Statements H314 C	auses severe skin burns and eye damage.			
2.2. Label elements				



Labelling according to Regulation (EC) No 1272/2008 [CLP/GHS]



- - - -

Signal word Danger

Hazard Statements

H314 Causes severe skin burns and eye damage.

Precautionary Statements

P102	Keep out of reach of children.
P260 P264 P280	Do not breathe dust/fume/gas/mist/vapours/spray. Wash hands thoroughly after handling. Wear protective gloves/eye protection.
P301 + P330 + P331	IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P303 + P361 + P353	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305 + P351 +	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and
P338	easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER or doctor/physician.
P363	Wash contaminated clothing before reuse.
P405	Store locked up.
P501	Dispose of contents/container to hazardous or special waste collection point.

Hazardous ingredients for labeling

1,3-bis[3-(dimethylamino)propyl]urea

2.3. Other hazards

Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

! SECTION 3: Composition/ information on ingredients

3.1. Substances

not applicable

3.2. Mixtures

Description

Hardener for a 2-component epoxy adhesive (formulated polyaminoamide containing 3-aminopropyldimethylamine).

Hazardous ingredients

CAS No	EC No	Name	[% weight]	Classification according to Regulation (EC) No 1272/2008 [CLP/GHS]
52338-87-1	257-861-2	1,3-bis[3-(dimethylamino)propyl]urea	10 - 30	Skin Corr. 1B, H314



SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove contaminated soaked clothing immediately.

In case of inhalation

Ensure of fresh air. In the event of symptoms refer for medical treatment.

In case of skin contact In case of contact with skin wash off with soap and water. Consult a doctor if skin irritation persists.

In case of eye contact

After eye contact, rinse opened eye for 15 minutes under running water. Transfer to hospital for specialist examination.

In case of ingestion

Do not induce vomiting. Call for a doctor immediately. Rinse out mouth and give plenty of water to drink.

4.2. Most important symptoms and effects, both acute and delayed

Physician's information / possible symptoms vomiting Respiratory complaints Headache Nausea Confusion skin irritation

4.3. Indication of any immediate medical attention and special treatment needed Treatment (Advice to doctor) Keep under medical supervision for at least 48 hours. Symptoms may not occur until several hours.

Symptoms may not occur until several nours.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media Alcohol-resistant foam Dry fire-extinguishing substance Carbon dioxide Water spray jet

Unsuitable extinguishing media Full water jet

5.2. Special hazards arising from the substance or mixture

In case of fire formation of dangerous gases possible.

5.3. Advice for firefighters

Special protective equipment for fire-fighters Fire-fighting operations, rescue and clearing work under effect of combustion and smoulder gases just may be done

with breathing apparatus.

Do not inhale explosion and/or combustion gases.

Additional information

Cool endangered containers with water spray jet. Collect contaminated firefighting water separately, must not be discharged into the drains.



SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Ensure adequate ventilation. Use personal protective clothing. Keep away sources of ignition. Use breathing apparatus if exposed to vapours/dust/aerosol.

6.2. Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

6.3. Methods and material for containment and cleaning up

Take up with absorbent material (e.g. sand, sawdust). After taking up the material dispose according to regulation.

6.4. Reference to other sections

Safe handling: see section 7 Disposal: see section 13 Personal protection equipment: see section 8

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Care for thoroughly room ventilation, if necessary use in well ventilated area with local exhaust ventilation at workplace. Open and handle container with care!

General protective measures

Avoid contact with eyes and skin Do not inhale gases/vapours/aerosols.

Hygiene measures

At work do not eat, drink and smoke. Remove soiled or soaked clothing immediately. Wash hands before breaks and after work.

Advice on protection against fire and explosion

Pay attention to general rules of internal fire prevention.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels Keep only in original container.

Advice on storage compatibility Do not store with oxidizing agents. Do not store together with animal feedstuffs. Do not store together with food.

Further information on storage conditions

Keep container tightly closed and store at cool and aired place. Protect from direct solar radiation. Store in a dry place.

7.3. Specific end use(s) Recommendation(s) for intended use See section 1.2



SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Additional advice

The statutory local and national regulations have to be observed.

8.2. Exposure controls

Respiratory protection

If ventilation insufficient, wear respiratory protection. Short-term: filter apparatus, filter AX, otherwise environment-independent breathing apparatus.

Hand protection

In the cases of special applications, it is recommended to check the chemical resistance with the manufacturer of the gloves.

Glove material specification [make/type, thickness, permeation time/life, wetting resistance]:: Nitrile rubber; 0,4mm; 480min;60min.

Chemical protective gloves must be chosen carefully in view of their design and depending on the dependence on the concentration and amounts of dangerous goods used in the specific working tasks.

Eye protection

tightly fitting goggles

Other protection measures

protective clothing

Appropriate engineering controls

Sufficient ventilation and exhaustion.

SECTION 9: Physical and chemical properties

Appearance liquid	hysical and chemical properties Colour yellow, clear		Odour character	istic	
Odour threshold not determined					
Important health, safety an	d environmental i	information			
	Value	Temperature	at	Method	Remark
pH value	not determined				
boiling point	not determined				
Melting point / Freezing point	not determined				
Flash point	> 93 °C				
Vapourisation rate	not determined				
Flammable (solid)	not determined				
Flammability (gas)	not determined				
Ignition temperature	not determined				
Self ignition temperature	not determined				



Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) Printed 21.12.2017

26.07.2017 (GB) Version 9.0

Easy-Mix S 50 Hardener

revision

	Value	Temperature	at	Method	Remark
Lower explosion limit	not determined				
Upper explosion limit	not determined				
Vapour pressure	not determined				
Relative density	1,12 g/cm3				
Vapour density	not determined				
Solubility in water					more or less insoluble
Solubility/other	not determined				
Partition coefficient n- octanol/water (log P O/W)	not determined				
Decomposition temperature	not determined				
Viscosity kinematic	15000 mPa*s				
Viscosity dynamic	not determined				
Oxidising properties No information available.					
Explosive properties No information available.					
9.2. Other information No information available.					

SECTION 10: Stability and reactivity

10.1. Reactivity

No information available.

10.2. Chemical stability No information available.

10.3. Possibility of hazardous reactions Reactions with strong oxidising agents.

10.4. Conditions to avoid

Keep away from heat.

10.5. Incompatible materials

Substances to avoid Reactions with strong oxidising agents.

10.6. Hazardous decomposition products

Carbon monoxide and carbon dioxide. Toxic gases/vapours



Thermal decomposition

Remark No decomposition if used as directed.

! SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity/Irritation/Sensitization

	Value/Validation	Species	Method	Remark
Skin irritation	irritant			
Eye irritation	irritant			

! Experiences made from practice

Possible sensitization in case of persons suffering from hypersensitivity. Irritates mucous membranes. Irritates eyes and skin.

Additional information

The product is to be handled with the caution usual with chemicals. Other hazardous properties may not be excluded.

SECTION 12: Ecological information

12.1. Toxicity

No information available.

12.2. Persistence and degradability

	Elimination rate	Method of analysis	Method	Validation
Biological degradability				not readily degradable
12.3. Bioaccumula No information ava				
12.4. Mobility in s No information ava				
12.5. Results of P	BT and vPvB assessm	nent		

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Other adverse effects

General regulation

Do not allow uncontrolled leakage of product into the environment. Product is not allowed to be discharged into aquatic environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Recommendations for the product

Cured material may be considered inert and disposed of as builders waste. Remove in accordance with local official regulations.



Recommendations for packaging

Dispose of according to the local waste regulations. Uncontaminated packaging may be treated as household waste. Packaging that cannot be cleaned should be disposed of like the product.

SECTION 14: Transport information

	ADR/RID	IMDG	IATA-DGR
14.1. UN number	2735	2735	2735
14.2. UN proper shipping name	POLYAMINES, LIQUID, CORROSIVE, N.O.S. (1,3- bis[3-(dimethylamino) propyl]urea)	POLYAMINES, LIQUID, CORROSIVE, N.O.S. (1,3- bis[3-(dimethylamino)propyl] urea)	Amines, liquid, corrosive, n.o. s. (1,3-bis[3-(dimethylamino) propyl]urea)
14.3. Transport hazard class(es)	8	8	8
14.4. Packing group	Ш	III	III
14.5. Environmental hazards	No	No	No

14.6. Special precautions for user

No information available.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code not applicable

Land and inland navigation transport ADR/RID Hazard label(s) 8

tunnel restriction code E Classification code C7

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

VOC standard VOC content 0 %

15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Recommended uses and restrictions

National and local regulations concerning chemicals shall be observed. For industrial use only.

Further information

Each user is responsible for the implementation of the national special regulations.



Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) Printed 21.12.2017 revision 26.07.2017 (GB) Version 9.0 Easy-Mix S 50 Hardener

The information contained herein is based on the state of our knowledge. It characterizes the product with regard to the appropriate safety precautions. It does not represent a guarantee of the properties of the product. Please observe the following disclaimer! --- Our safety data sheets have been compiled according to effective EU-directives, WITHOUT taking into account the special national directives concerning the handling of hazardous substances.

Indication of changes: "!" = Data changed compared with the previous version. Previous version: 8.6

H314 Causes severe skin burns and eye damage.